

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2630	authenticate same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:08
L2	2615	235/379.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:08
L3	3465	235/380.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 16:08
L5	460	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:10
L6	2183	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:08
L7	4047	(one-time use card) and (internet same transaction)	US-PGPUB	OR	OFF	2005/01/05 16:08
L8	87	challenge\$1 same signature\$1 same client\$1 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 16:09
L9	64	(challenge\$1 same signature\$1 same client\$1 same server\$1) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 16:09
L10	411	705/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:10
L11	5616	(one-time use card) and (internet same transaction)	US-PGPUB; USPAT	OR	OFF	2005/01/05 16:11
L12	9	single same round same trip same authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 16:11
S1	216425	APPARATUS FOR PRE-AUTHENTICATION OF USERS USING ONE-TIME PASSWORDS	US-PGPUB	OR	OFF	2004/11/13 13:58

S2	1	"20020095507"	US-PGPUB	OR	OFF	2002/12/13 14:02
S3	1	"20020095569"	US-PGPUB	OR	OFF	2002/12/13 18:26
S4	0	"4995082".pn. "6000832".pn. "6029850".pn.	US-PGPUB	OR	OFF	2002/12/13 18:26
S5	6	"4995082".pn. "6000832".pn. "6029850".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:27
S6	6	"4995082".pn. "6000832".pn. "6029890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:27
S7	2	("4995082".pn. "6000832".pn. "6029890".pn.) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:45
S8	6	713/155.ccls. and authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:45
S9	6	709/229.ccls. and authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:50
S10	4	(713/155.ccls. and authentication) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 18:51
S11	0	(713/155.ccls. and authentication) and sequential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:11
S12	2	"5657388".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:02
S13	2	"5495533".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:02


S14	2	"6000832".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:12
S15	960	authenticate same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:16
S16	0	(authenticate same client) and "235"/\$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 19:16
S17	8	(authenticate same client) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S18	6	"5657388".pn. "6317838".pn. "6076069".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 20:10
S19	8	"5657388".pn. "6317838".pn. "6076069".pn. "5495533".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/13 20:10
S20	0	"6317838".pn. "6076069".pn. "5657388".pn.	US-PGPUB	OR	OFF	2002/12/15 17:38
S21	3	"6317838".pn. "6076069".pn. "5657388".pn.	US-PGPUB; USPAT	OR	OFF	2002/12/15 17:38
S22	196	signature\$1 same client\$1 same server\$1 same (log\$3 or access\$2)	US-PGPUB	OR	OFF	2003/07/24 16:03
S23	344	signature\$1 same client\$1 same server\$1 same (log\$3 or access\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:04
S24	2328	235/379.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:03
S25	3003	235/380.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:03

S26	21555	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:03
S27	333	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:04
S28	1371	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:04
S29	2	"4926264".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 16:54
S30	15	jerdonek.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 17:00
S31	0	"2058357".URPN.	USPAT	OR	OFF	2003/07/24 16:56
S32	0	"20020095507".URPN.	USPAT	OR	OFF	2003/07/24 16:56
S33	1	2002-739824.NRAN.	DERWENT	OR	OFF	2003/07/24 16:56
S34	5	(client same server same (digital adj signature)) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/24 17:01
S35	84	client same server same (digital adj signature)	USPAT	OR	OFF	2003/07/24 17:04
S36	0	one-time adj use adj card	US-PGPUB	OR	OFF	2003/07/25 12:18
S37	37273	one-time use card	US-PGPUB	OR	OFF	2003/07/25 12:19
S38	3780	internet same transaction	US-PGPUB	OR	OFF	2003/07/25 12:18
S39	2456	(one-time use card) and (internet same transaction)	US-PGPUB	OR	OFF	2003/07/25 12:19
S40	128	((one-time use card) and (internet same transaction)) and "235"/\$.ccls.	US-PGPUB	OR	OFF	2003/07/25 12:19
S41	143631	one-time use card	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:19
S42	5475	internet same transaction	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:19
S43	3502	(one-time use card) and (internet same transaction)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:20
S44	0	((((one-time use card) and (internet same transaction)) and "235"/\$.ccls.) and (one-time adj use adj card)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:20

S45	0	((one-time use card) and (internet same transaction)) and "235"/\$.ccls.) and (single same use)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:20
S46	25	((one-time use card) and (internet same transaction)) and "235"/\$.ccls.) and (one-time)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:46
S47	2	"6490682".pn. "6467684".pn.	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:46
S48	0	"6490682".pn. "6467684".pn.	US-PGPUB	OR	OFF	2003/07/29 15:50
S49	2	"6490682".pn. "6467684".pn.	USPAT	OR	OFF	2003/07/29 15:50
S50	2439	235/379.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S51	26129	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S52	3198	235/380.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S53	395	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S54	1746	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S55	23	(authenticate same client) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S56	378	((one-time use card) and (internet same transaction)) and "235"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/04/17 22:05
S57	53	(challenge\$1 same signature\$1 same client\$1 same server\$1) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/17 22:12
S58	353	client same server same (digital adj signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/17 22:12

S59	62	challenge\$1 same signature\$1 same client\$1 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/17 22:21
S60	2	"6490682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/17 22:21
S61	2	"6467684".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/17 22:21
S69	3	single adj round adj trip adj authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/13 14:01
S70	0	("2002/0178358").URPN.	USPAT	OR	OFF	2004/11/13 14:00
S71	8	single same round same trip same authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/13 14:01
S72	2584	235/379.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:24
S73	284	705/67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:48
S74	451	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:30
S75	2088	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:26
S76	3397	235/380.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:26

S77	831	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:30
S78	335	713/170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:31
S79	15	affi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:35
S80	3	((("5729537") or ("6061346") or ("5794139") or ("2002102964"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/13 14:36
S81	4	((("5729537") or ("6061346") or ("5794139") or ("20020102964"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/13 14:36
S82	0	S71 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:48
S83	5349	(one-time use card) and (internet same transaction)	US-PGPUB; USPAT	OR	OFF	2004/11/13 14:49
S84	60	(challenge\$1 same signature\$1 same client\$1 same server\$1) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/13 14:49
S85	82	challenge\$1 same signature\$1 same. client\$1 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/13 14:49


[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web**Results 1 - 10 of about 4,410,000 for **one way authentication**. (0.27 seconds)**One-way authentication**Resource Links / Encyclopedia / O **One-way authentication**. ...[www.nwfusion.com/details/740.html?def](http://www.nwfusion.com/details/740.html?def) - 43k - [Cached](#) - [Similar pages](#)**One-way Authentication protocol to mobile node in IPv6 mobile ...**... **One-way Authentication** protocol to mobile node in IPv6 mobile Communication. Hoon Ko, Uijin Jang and Yongtae Shin Daejin Univ. Digicaps Institute. ...[www.imm.dtu.dk/~jw/para04/Abstracts/hoon\\_ko/hoon\\_ko.html](http://www.imm.dtu.dk/~jw/para04/Abstracts/hoon_ko/hoon_ko.html) - 4k - [Cached](#) - [Similar pages](#)**When to create a shortcut trust; Windows Server 2003, Standard ...**... For example, when a **one-way**, shortcut trust is established between domain A and domain B, **authentication** requests made in domain A to domain B can utilize the ...[www.microsoft.com/.../WindowsServ/2003/standard/proddocs/en-us/domadmin\\_concepts\\_windowstrust.asp](http://www.microsoft.com/.../WindowsServ/2003/standard/proddocs/en-us/domadmin_concepts_windowstrust.asp) - 14k - [Cached](#) - [Similar pages](#)**Establishing Interforest Authentication; Windows Server 2003 ...**... To enable **authentication** with Windows 2000 forests, establish **one-way** or two-way external trusts between the domains that need to share resources. ...[www.microsoft.com/resources/documentation/WindowsServ/2003/all/deployguide/en-us/dsscc\\_aut\\_hirq.asp](http://www.microsoft.com/resources/documentation/WindowsServ/2003/all/deployguide/en-us/dsscc_aut_hirq.asp) - 12k - [Cached](#) - [Similar pages](#)[ [More results from www.microsoft.com](#) ]**Cisco - Understanding and Configuring PPP CHAP Authentication**... CHAP is defined as a **one-way authentication** method. ... Therefore, a **one-way authentication** initiated by the called party is a minimum. ...[www.cisco.com/warp/public/471/understanding\\_ppp\\_chap.html](http://www.cisco.com/warp/public/471/understanding_ppp_chap.html) - 21k - [Cached](#) - [Similar pages](#)**Neohapsis Archives - SecurityFocus-Microsoft - RE: Cryptographic ...**... Challenge/response **authentication** is done via these functions. Hash algorithms are **one-way** transformations: for instance, you can hash a simple string (password ...[archives.neohapsis.com/archives/sf/ms/2002-q2/0059.html](http://archives.neohapsis.com/archives/sf/ms/2002-q2/0059.html) - 8k - [Cached](#) - [Similar pages](#)**Authentication, Hash Functions, Digital Signatures**... X.509 includes three alternative **authentication** procedures. **One-Way Authentication**: 1 message (A->B) to establish: identity of A and that messages is from A; ...[williamstallings.com/Extras/Security-Notes/lectures/authent.html](http://williamstallings.com/Extras/Security-Notes/lectures/authent.html) - 30k - [Cached](#) - [Similar pages](#)**[PDF] What are Your EAP Authentication Options?**File Format: PDF/Adobe Acrobat - [View as HTML](#)... They are: MD5, a **one-way authentication** of supplicant to network using passwords; Cisco's proprietary username-based LEAP; TLS, which uses PKI-issued (public ...[www.ilabs.interop.net/WLANSec/What\\_are\\_EAP\\_types-lv03.pdf](http://www.ilabs.interop.net/WLANSec/What_are_EAP_types-lv03.pdf) - [Similar pages](#)**Security Fundamentals**... WebLogic Server fully supports SSL communication. By default, WebLogic Server is configured for **one-way SSL authentication**. ... **One-way/Two-way SSL Authentication**. ...[e-docs.bea.com/wls/docs81/secintro/concepts.html](http://e-docs.bea.com/wls/docs81/secintro/concepts.html) - 85k - [Cached](#) - [Similar pages](#)



**Message Authentication with One-Way Hash Functions - Tsudik ...**

... ist.psu.edu/tsudik92message.html More @inproceedings{ tsudik92message, author =  
"Gene Tsudik", title = "Message Authentication with One-Way Hash Functions ...  
citeseer.ist.psu.edu/tsudik92message.html - 21k - [Cached](#) - [Similar pages](#)

**Goooooooooooooogle ►**Result Page:    1 2 3 4 5 6 7 8 9 10    **Next** **Free! [Google Desktop Search](#): Search your own computer.****Search**[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google